

ECHO IDAHO



ECHO Idaho: Opioid Addiction and Treatment

Idaho Trends and Resources/State of “Use” in Idaho


03/14/2019

Prepared by: Amy Jeppesen, LCSW

Presented by: Cloeie Hood, LMSW

Recovery for Life

The speaker has no significant financial conflicts of interest to disclose.




State of the State with the Opioid Epidemic

Amy Jeppesen L.C.S.W.
A.C.A.D.C.

02/28/2019

ECHO **IDAHO**






Current
Trends

Opioid Grip: Millions Continue to Misuse Prescription Pain Relievers

11.4 MILLION PEOPLE WITH OPIOID MISUSE (4.2% OF TOTAL POPULATION)

PAST YEAR, 2017, 12+

Significant decrease from 12.7 M misusers in 2015




Note: Opioid misuse is defined as heroin use or prescription pain reliever misuse.

+ Difference between this estimate and the 2016 estimate is statistically significant at the .05 level.

Prescription Pain Reliever Misuse

PAST YEAR, 2015 - 2017, 12




See tables 7.5, 7.11, and 7.14 in the 2017 NSDUH detailed tables for additional information.

+ Difference between this estimate and the 2017 estimate is statistically significant at the .05 level.

Misuse of Prescription Opioid Subtypes

PAST YEAR, 2017, 12+ SUBTYPE USERS




See table 1.97 in the 2017 NSDUH detailed tables for additional information.

Heroin Use Climbed then Stabilized

PAST YEAR, 2002 AND 2015- 2017, 12+


Heroin Use - Past Year



See table 7.2 in the 2017 NSDUH detailed tables for additional information and the 2017 CDC Mortality Data.

ILLICIT DRUG USE IMPACTS MILLIONS: MARIJUANA MOST WIDELY USED DRUG

PAST YEAR, 2017, 12+



Prescription opioids, sedatives, tranquilizers
stimulants



Summary

- Marijuana use increasing in adults with greatest increases seen in 18-25 year old women
- Significant increases in numbers of adults using marijuana daily or almost daily
- Pregnant women using substances in greater numbers including significant increases in daily or near daily marijuana use
- Cocaine use: numbers stable
- Methamphetamine use increasing in 18-25 year olds; state differences significant
- Significant increases in misuse of prescription stimulants accounted for mainly in age 26+, but continuing substantial misuse of prescription stimulants in 18-25 year olds
- LSD use increasing in adults with greatest use in 18-25 year olds
- Significant increases in numbers receiving treatment for substance use disorders

Idaho Trends

- Increase Opiate/Opioid use
- Heroin and Meth Use
- Bath Salts
- Kratom
- Ease of access
- Increase in Overdoses
 - Ada County had 100 deaths in 2017 from Opiate/Opioid Overdoses
 - Highest risk of Overdose when you have clean time

OPIOID POTENCY



Heroin Purity

- 1970's: Average 4% - Yellow Substance
- 2017: Average 45% - Pure (White) Substance



State of Idaho's Plan And Options |



Funding For Treatment

- Private Insurance
- State Funding
 - Idaho Department of Corrections
 - All Felony population including Parolee Aftercare




IDAHO DEPARTMENT OF
HEALTH & WELFARE

State Funding

- Health and Welfare
 - Idaho's Response to the Opioid Crisis (IROC)
 - 2 million 2017-2018
 - 6 Million 2019-2021
 - Treatment and Medication Assisted Therapy (MAT)
 - IVDU- Federal Block Grant
 - Residential
 - IOP/OP treatment options
 - Pregnant Woman and Pregnant Woman with Children
 - Medicaid
- Access through BPA Health 208-947-4392

Idaho's Initiatives

- Legislation
 - Mandatory Minimums
- Making Narcan More Available
- Paying for Medication Assisted Therapy
- Looking at Diversion
- Pilots





- Treasure Valley Opiate plan
- State Wide Opiate Planning group
- State Funding
- MAT
- Pilots with MAT

State's Approach

Treasure Valley Opioid Crisis Response

- Strategic plan 2018-2021 Goals

1. **By July 2021, ensure adequate resources exist for prevention, intervention, treatment, recovery, and data collection.**
2. **By July 2019, Establish a coalition to optimize collaboration, communication, and coordination among Treasure Valley Opioid-related stakeholders and the public.**
3. **By July 2019, utilize law enforcement-assisted diversion to identify individuals at risk who may be amenable to treatment.**
4. **By July 2021, expose healthcare professionals and the public to information that will prevent opioid misuse.**
5. **By January 2020, identify, optimize, and implement evidence-based, patient/family-centered, comprehensive SUD treatment options in the Treasure Valley to reduce opioid overdoses by 50%.**



Pilot Projects


- Idaho Department of Correction Medication Assisted Therapy (MAT) Pilot
 - 50 Probationers/Parolees
 - 3 Options
 - MAT only
 - MAT plus Treatment
 - Treatment only

IDAHO
DEPARTMENT OF
CORRECTION

The logo for the Idaho Department of Correction features a large, gold-colored, five-pointed star. The word "IDAHO" is written in a bold, black, serif font above the star. Below "IDAHO", the words "DEPARTMENT OF" and "CORRECTION" are written in a bold, black, serif font, stacked vertically. The star is positioned to the right of the text, with its points extending towards the right edge of the image.


Law Enforcement Assisted Diversion (LEAD)

- Partners
 - Boise City Mayor
 - Prosecutors Office
 - Defense Attorneys
 - Boise Police Department
 - Health and Welfare
 - Recovery 4 Life
 - Raise the Bottom
- Option for Treatment instead of Jail



Saint Alphonsus Opiate Initiative

- ER Physician identifies overdose
 - Calls response team
 - Starts client on MAT for up to 3 days
- Response team
 - Coordinates getting client funding and into MAT and treatment program
 - Follows up with Client
 - Helps guide client through treatment process




Saint Alphonsus



The Truth about Drug Addiction

- It affects people from all walks of life
- It affects people from all age groups
- It affects people from all races and religions
- There is no “typical drug addict”
- Key Aspect of Treatment: de-stigmatize addiction and get people into treatment!



??

Questions?

Amy Jeppesen LCSW ACADC

208-376-7083 Ex 1102

Amyj@recovery4lifeidaho.com